



ZHONG SHAN SHI RUI XIAN ELECTRONICS FACTORY

Add:No. 73, Jinyinan Road, Dongfeng Town, Zhongshan City Tel:+86-760-86172690 22635326
 Fax: +86-760-22635327 Http:www.neon-elwire.com E-mail:open686@vip.sina.com

Product Data Sheet

P/N:EL INVERTER MODE: EF-IM3-EL																																												
Description: EF-IM3-EL is a small portable battery pack inverter designed to drive up to 3m of EL Wire.																																												
Features: 1. Two operating modes: Continuous and Blinking 2. Portable. 3. Battery operated by two AA 1.5VDC. 4. Low power consumption. 5. Low audible noise. 6. Indoor use.			Applications: 1. Do it yourself. 2. Home decoration 3. Car decoration. 4. Home made signs. 5. Improves visibility for night jogging and bicycle riders 6. Party and event centerpiece.																																									
Electronical pecifications: Input Voltage: 3VDC Input Current Range (with load): 0.19 – 0.39 (A) Output Frequency: 0.65 – 1.3 (KHz) Output Voltage Range:66 – 150 (Vrms) EL Wire Length: 1 – 3 (meter) Not load:155V 110MA			Mechanical Specifications: Dimensions (L x W x H): 80 x 25 x 16 (mm) Weight: 45 g Operating Temperature: -10 – 60 (°C) Storage Temperature: -20 – 65 (°C) Relative Humidity: 70% RH																																									
<table border="1" style="width:100%; border-collapse: collapse; text-align: center;"> <thead> <tr> <th>EL PANEL</th> <th>Input Voltage</th> <th>Input Current</th> <th>Frequency</th> <th>Output Voltage</th> </tr> <tr> <th>[cm²]</th> <th>[VDC]</th> <th>[mA]</th> <th>[KHz]</th> <th>[Vrms]</th> </tr> </thead> <tbody> <tr><td>10</td><td>3</td><td>190</td><td>1.3</td><td>150</td></tr> <tr><td>20</td><td>3</td><td>230</td><td>1.2</td><td>136</td></tr> <tr><td>30</td><td>3</td><td>290</td><td>1.1</td><td>114</td></tr> <tr><td>45</td><td>3</td><td>320</td><td>1</td><td>100</td></tr> <tr><td>55</td><td>3</td><td>350</td><td>0.85</td><td>88</td></tr> <tr><td>60</td><td>3</td><td>370</td><td>0.74</td><td>75</td></tr> </tbody> </table>	EL PANEL	Input Voltage	Input Current	Frequency	Output Voltage	[cm ²]	[VDC]	[mA]	[KHz]	[Vrms]	10	3	190	1.3	150	20	3	230	1.2	136	30	3	290	1.1	114	45	3	320	1	100	55	3	350	0.85	88	60	3	370	0.74	75				
EL PANEL	Input Voltage	Input Current	Frequency	Output Voltage																																								
[cm ²]	[VDC]	[mA]	[KHz]	[Vrms]																																								
10	3	190	1.3	150																																								
20	3	230	1.2	136																																								
30	3	290	1.1	114																																								
45	3	320	1	100																																								
55	3	350	0.85	88																																								
60	3	370	0.74	75																																								
<table border="1" style="width:100%; border-collapse: collapse; text-align: center;"> <thead> <tr> <th>LyTec™ 48S HB Length</th> <th>Input Voltage</th> <th>Input Current</th> <th>Frequency</th> <th>Output Voltage</th> </tr> <tr> <th>[m]</th> <th>[VDC]</th> <th>[mA]</th> <th>[KHz]</th> <th>[Vrms]</th> </tr> </thead> <tbody> <tr><td>0.5</td><td>3</td><td>220</td><td>1.3</td><td>136</td></tr> <tr><td>1</td><td>3</td><td>280</td><td>1.1</td><td>118</td></tr> <tr><td>2</td><td>3</td><td>330</td><td>0.9</td><td>90</td></tr> <tr><td>3</td><td>3</td><td>350</td><td>0.8</td><td>80</td></tr> <tr><td>4</td><td>3</td><td>380</td><td>0.7</td><td>68</td></tr> </tbody> </table>	LyTec™ 48S HB Length	Input Voltage	Input Current	Frequency	Output Voltage	[m]	[VDC]	[mA]	[KHz]	[Vrms]	0.5	3	220	1.3	136	1	3	280	1.1	118	2	3	330	0.9	90	3	3	350	0.8	80	4	3	380	0.7	68									
LyTec™ 48S HB Length	Input Voltage	Input Current	Frequency	Output Voltage																																								
[m]	[VDC]	[mA]	[KHz]	[Vrms]																																								
0.5	3	220	1.3	136																																								
1	3	280	1.1	118																																								
2	3	330	0.9	90																																								
3	3	350	0.8	80																																								
4	3	380	0.7	68																																								

Remarks : Test data for reference purposes only! Please order samples to confirm